

# Deep Reinforcement Learning for Cyber Security

Thanh Thi Nguyen and Vijay Janapa Reddi

**Abstract**—The scale of Internet-connected systems has increased considerably, and these systems are being exposed to cyber attacks more than ever. The complexity and dynamics of cyber attacks require protecting mechanisms to be responsive, adaptive, and large-scale. Machine learning, or more specifically deep reinforcement learning (DRL), methods have been proposed widely to address these issues. By incorporating deep learning into traditional RL, DRL is highly capable of solving complex, dynamic, and especially high-dimensional cyber defense problems. This paper presents a survey of DRL approaches developed for cyber security. We touch on different vital aspects, including DRL-based security methods for cyber-physical systems, autonomous intrusion detection techniques, and multi-agent DRL-based game theory simulations for defense strategies against cyber attacks. Extensive discussions and future research directions on DRL-based cyber security are also given. We expect that this comprehensive review provides the foundations for and facilitates future studies on exploring the potential of emerging DRL to cope with increasingly complex cyber security problems.

**Index Terms**—review, survey, cyber security, cyber defense, cyber attacks, deep reinforcement learning, deep learning, Internet of Things, IoT.

## I. INTRODUCTION

INTERNET of Things (IoT) technologies have been employed broadly in many sectors such as telecommunications, transportation, manufacturing, water and power management, healthcare, education, finance, government, and even entertainment. The convergence of various information and communication technology (ICT) tools in the IoT has boosted its functionalities and services to users to new levels. ICT has witnessed a remarkable development in terms of system design, network architecture, and intelligent devices in the last decade. For example, ICT has been advanced with the innovations of software-defined network (SDN) [1], [2], cognitive radio network (CRN) [3], [4], cloud computing [5], (mobile) edge caching [6], [7], and fog computing [8]. Accompanying these developments is the increasing vulnerability to cyber attacks, which are defined as any type of offensive maneuver exercised by one or multiple computers to target computer information systems, network infrastructures, or personal computer devices. Cyber attacks may be instigated by economic competitors or state-sponsored attackers. There has been thus a critical need of the development of cyber security technologies to mitigate and eliminate impacts of these attacks [9].

Artificial intelligence (AI), especially machine learning (ML), has been applied to both attacking and defending

in the cyberspace. On the attacker side, ML is utilized to make attacks more sophisticated to pass through defense strategies. On the cyber security side, ML is employed to make defense strategies smarter, more robust, and higher performance, which can adaptively prevent and reduce the impacts or damages occurred. Among these ML applications, unsupervised and supervised learning methods have been used widely for intrusion detection [10]–[15], malware detection [16]–[19], cyber-physical attacks [20], [21], and data privacy protection [22]. In principle, unsupervised methods explore the structure and patterns of data without using their labels while supervised methods learn by examples based on data’s labels. These methods, however, cannot provide *dynamic and sequential responses* against cyber attacks, especially new or deformed threats. Also, the detection and defending responses usually take place after the attacks, when the attack details and data become available for collecting and analyzing, and thus proactive defense solutions are hindered. A statistical study shows that 62% of the attacks were recognized after they have caused significant damages to the cyber systems [23].

Reinforcement learning (RL), another branch of ML, is the closest form of human learning because it can learn by its own experience through exploring and exploiting the unknown environment. RL can model an autonomous agent to take *sequential actions* optimally without or with limited prior knowledge of the environment, and thus, it is particularly adaptable and useful in real time and adversarial environments. RL, therefore, demonstrates excellent suitability for cyber security applications where cyber attacks are increasingly sophisticated, rapid, and ubiquitous [24], [25].

The recent development of deep learning has been incorporated into RL methods and enabled them to solve many complex problems [26], [27]. The emergence of DRL has witnessed great success in different fields, from video game domain, e.g. Atari [28], [29], game of Go [30], [31], real-time strategy game StarCraft II [32]–[35], 3D multi-player game Quake III Arena Capture the Flag [36], and teamwork game Dota 2 [37] to real-world applications such as robotics [38], autonomous vehicles [39], autonomous surgery [40], [41], biological data mining [42], and drug design [43]. An area that recently attracts great attention of the DRL research community is the IoT and cyber security. For example, a DRL-based resource allocation framework that integrates networking, caching, and computing capabilities for smart city applications is proposed in He et al. [44]. DRL algorithm, i.e., double dueling deep Q-network [45], [46], is used to solve this problem because it involves a large state space, which consists of the dynamic changing status of base stations, mobile edge caching (MEC) servers and caches. The framework is developed based on the programmable control principle of SDN and the caching capability of *information-centric networking*.

T.T. Nguyen is with the School of Information Technology, Deakin University, Melbourne Burwood Campus, Burwood, VIC 3215, Australia, e-mail: thanh.nguyen@deakin.edu.au.

V.J. Reddi is with the John A. Paulson School of Engineering and Applied Sciences, Harvard University, Cambridge, MA 02138, USA, e-mail: vj@eecs.harvard.edu.

Alternatively, Zhu et al. [47] explored MEC policies by using the *context awareness* concept that represents the user's context information and traffic pattern statistics. The use of AI technologies at the mobile network edges is advocated to intelligently exploit operating environment and make the right decisions regarding what, where, and how to cache appropriate contents. To increase the caching performance, a DRL approach, i.e., the asynchronous advantage actor-critic algorithm [48], is used to find an optimal policy aiming to maximize the offloading traffic.

Findings from our current survey show that applications of DRL in cyber environments are generally categorized under two perspectives: optimizing and enhancing the communications and networking capabilities of the IoT applications, e.g. [49][56], and defending against cyber attacks. This paper focuses on the later where DRL methods are used to solve cyber security problems with the presence of cyber attacks or threats. Next section provides a background of DRL methods, followed by a detailed survey of DRL applications in cyber security in Section 3. We group these applications into three major categories, including DRL-based security solutions for cyber-physical systems, autonomous intrusion detection techniques, and multi-agent DRL-based game theory for cyber security. Section 4 concludes the paper with extensive discussions and future research directions on DRL for cyber security.

## II. DEEP REINFORCEMENT LEARNING PRELIMINARY

Different from the other popular branch of ML, i.e., supervised methods learning by examples, RL characterizes an *agent* by creating its own learning experiences through interacting directly with the *environment*. RL is described by concepts of *state*, *action*, and *reward* (Fig. 1). It is a trial and error approach in which the agent takes action at each time step that causes two changes: current state of the environment is changed to a new state, and the agent receives a reward or penalty from the environment. Given a state, the reward is a function that can tell the agent how good or bad an action is. Based on received rewards, the agent learns to take more good actions and gradually filter out bad actions.




Fig. 1. Interactions between the agent and environment in RL, characterized by state, action and reward. Based on the current state  $s$  and reward  $r$ , the agent will take an optimal action, leading to changes of states and rewards. The agent then receives the next state  $s'$  and reward  $r'$  from the environment to determine a next action, making an iterative process of agent-environment interactions.

A popular RL method is Q-learning whose goal is to maximize the discounted cumulative reward based on the Bellman equation [57]:

$$Q(s_t, a_t) = E[r_{t+1} + \gamma r_{t+2} + \gamma^2 r_{t+3} + \dots | s_t, a_t] \quad (1)$$

The discount factor  $\gamma \in [0, 1]$  manages the importance levels of future rewards. It is applied as a mathematical trick to analyze the learning convergence. In practice, discount is necessary because of partial observability or uncertainty of the stochastic environment.

Q-learning needs to use a lookup table or Q-table to store expected rewards (Q-values) of actions given a set of states. This requires a large memory when the state and action spaces increase. Real-world problems often involve continuous state or action space, and therefore, Q-learning is inefficient to solve these problems. Fortunately, deep learning has emerged as a powerful tool that is a great complement to traditional RL methods. With the power of *function approximation* and *representation learning*, deep learning can learn a compact low-dimensional representation of raw high-dimensional data [58]. The combination of deep learning and RL was the research direction that Google DeepMind has initiated and pioneered. They proposed deep Q-network (DQN) with the use of a deep neural network (DNN) to enable Q-learning to deal with high-dimensional sensory inputs [28], [59].




Fig. 2. DQN architecture with the loss function described by  $L(\beta) = E[(r + \gamma \max_{a'} Q(s', a' | \beta') - Q(s, a | \beta))^2]$  where  $\beta$  and  $\beta'$  are parameters of the estimation and target deep neural networks respectively. Each action taken by the agent will generate an experience, which consists of the current state  $s$ , action  $a$ , reward  $r$  and next state  $s'$ . These learning experiences (samples) are stored in the experience replay memory, which are then retrieved randomly for a stable learning process.

Using DNNs to approximate the Q-function however is unstable due to the correlations among the sequences of observations and the correlations between the Q-values  $Q(s, a)$  and the target values  $Q(s', a')$ . Mnih et al. [28] proposed the use of two novel techniques, i.e., experience replay memory and target network, to address this problem (Fig. 2). On the one hand, experience memory stores an extensive list of learning experience tuples  $(s, a, r, s')$ , which are obtained from interactions with the environment. The agent's learning process retrieves these experiences randomly to avoid the correlations of consecutive experiences. On the other hand, the target network is technically a copy of the estimation network, but its parameters are frozen and only updated after a period. For instance, the target network is updated after 10,000 updates of the estimation network, as demonstrated in [28]. DQN has made a breakthrough as it is the first time an RL agent can provide a human-level performance in playing 49 Atari games by using just raw image pixels of the game board.

As a *value-based method*, DQN takes long training time and has limitations in solving continuous action space. Value-based methods, in general, evaluate the goodness of an action given a state using the Q-value function. When the number of states or actions is large or infinite, they show inefficiency or even impracticality. Another type of RL, i.e., *policy gradient methods*, has solved this problem effectively. These methods aim to derive actions directly by learning a policy  $\pi(s, a)$  that is a probability distribution over all possible actions. Trust region policy optimization (TRPO) [60] and proximal policy optimization (PPO) [61] are notable policy gradient methods. The gradient estimation, however, has often suffered a large fluctuation [62]. The combination of value-based and policy-based methods has thus been developed to aggregate advantages and eradicate disadvantages of these two methods. That kind of combination has been structured in another type of RL, i.e., *actor-critic methods*. This structure comprises two components: an actor and a critic that can be both characterized by DNNs. The actor attempts to learn a policy by receiving feedback from the critic. This iterative process helps the actor improve its strategy and converge to an optimal policy. Asynchronous advantage actor-critic (A3C) is a popular actor-critic method where its structure consists of a hierarchy of a master learning agent (global) and individual learners (workers) [48]. Both master agent and individual learners are modeled by DNNs with each having two outputs: one for the critic and another for the actor (Fig. 3). The first output is a scalar value representing the expected reward of a given state  $V(s)$  while the second output is a vector of values representing a probability distribution over all possible actions  $\pi(s, a)$ .




Fig. 3. The learning architecture of A3C, consisting of a global network and a number of worker agents. Each worker initially resets its parameters to those of the global network and interacts with its copy of the environment for learning. Gradients obtained from these individual learning processes will be used to update the global network asynchronously. This increases the learning speed and diversifies the experience learned by the global network as the experiences obtained by individual worker agents are independent.

The value loss function of the critic is specified by:

$$L_1 = \sum (R - V(s))^2 \quad (2)$$

where  $R = r + \gamma V(s')$  is the discounted future reward. Also, the actor is pursuing minimization of the following policy loss function:

$$L_2 = -\log(\pi(a|s)) * A(s) - \vartheta H(\pi) \quad (3)$$

where  $A(s) = R - V(s)$  is the estimated *advantage* function, and  $H(\pi)$  is the entropy term, which handles the exploration capability of the agent with the hyperparameter  $\vartheta$  controlling the strength of the entropy regularization. The advantage function  $A(s)$  shows how advantageous the agent is when it is in a particular state. The learning process of A3C is *asynchronous* because each learner interacts with its separate environment and updates the master network independently. This process is iterated, and the master network is the one to use when the learning is finished.

Table I summarizes comparable features of value-based, policy-based, and actor-critic methods, and their typical example algorithms. The following section examines the venture of these DRL algorithms in the field of cyber security under three broad categories: cyber-physical systems, autonomous intrusion detection, and cyber multi-agent game theory.

### III. DRL IN CYBER SECURITY: A SURVEY

#### A. DRL-based Security Methods for Cyber-Physical Systems

Investigations of defense methods for cyber-physical systems (CPS) against cyber attacks have received considerable attention and interests from the cyber security research community. CPS is a mechanism controlled by computer-based algorithms facilitated by internet integration. This mechanism provides efficient management of distributed physical systems via the shared network. With the rapid development of the Internet and control technologies, CPSs have been used extensively in many areas including manufacturing [67], health monitoring [68], [69], smart grid [70], [71], and transportation [72]. Being exposed widely to the Internet these systems are increasingly vulnerable to cyber attacks [73]. In 2015, hackers attacked the control system of a steel mill in Germany by obtaining login credentials via the use of phishing emails. This attack caused a partial plant shutdown and resulted in damage of millions of dollars. Likewise, there was a costly cyber attack to a power grid in Ukraine in late December 2015 that disrupted electricity supply to a few hundred thousand end consumers [74].

In an effort to study cyber attacks on CPS, Feng et al. [74] characterized the cyber state dynamics by a mathematical model:

$$\dot{x}(t) = f(t; x; u; w; \theta(t; a; d)); x(t_0) = x_0 \quad (4)$$

where  $x, u$ , and  $w$  represent the physical state, control inputs and disturbances correspondingly (see Fig. 4). In addition,  $\theta(t; a; d)$  describes cyber state at time  $t$  with  $a$  and  $d$  referring to cyber attack and defense respectively.

The CPS defense problem is then modeled as a two-player zero-sum game by which utilities of players are summed up

TABLE I  
SUMMARY OF FEATURES OF DRL TYPES AND THEIR NOTABLE METHODS

DRL types	Value-based	Policy-based	Actor-critic
Features	<ul style="list-style-type: none"> <li>• Compute value of action given a state <math>Q(s, a)</math>.</li> <li>• No learned explicit policy.</li> </ul>	<ul style="list-style-type: none"> <li>• No value function is needed.</li> <li>• Explicit policy is constructed.</li> </ul>	<ul style="list-style-type: none"> <li>• Actor produces policy <math>\pi(s, a)</math>.</li> <li>• Critic evaluates action by <math>V(s)</math>.</li> </ul>
Typical methods	<ul style="list-style-type: none"> <li>• DQN [28]</li> <li>• Double DQN [45]</li> <li>• Dueling Q-network [46]</li> <li>• Prioritized Replay DQN [63]</li> </ul>	<ul style="list-style-type: none"> <li>• TRPO [60]</li> <li>• PPO [61]</li> <li>• Deep Deterministic Policy Gradient (DDPG) [64]</li> <li>• Distributed Distributional DDPG (D4PG) [65]</li> </ul>	<ul style="list-style-type: none"> <li>• A3C [48]</li> <li>• Unsupervised Reinforcement and Auxiliary Learning (UNREAL) [66]</li> </ul>




Fig. 4. The dynamics of attack and defense in a cyber-physical system. The physical layer is often uncertain with disturbances  $w$  while cyber attack  $a$  directly affects the cyber layer where a defense strategy  $d$  needs to be implemented. The dynamics of attack-defense characterized by  $\theta(t, a, d)$  is injected into the conventional physical system to develop a cyber-physical co-modelling as presented in Eq. (4)

to zero at each time step. The defender is represented by an actor-critic DRL algorithm. Simulation results demonstrate that the proposed method in [74] can learn an optimal strategy to timely and accurately defend the CPS from unknown cyber attacks.

Applications of CPS in critical safety domains such as autonomous automotive, chemical process, automatic pilot avionics, and smart grid require a certain correctness level. Akazaki et al. [75] proposed the use of DRL, i.e., double DQN and A3C algorithms, to find falsifying inputs (counterexamples) for CPS models. This allows for effective yet automatic detection of CPS defects. Due to the infinite state space of CPS models, conventional methods such as simulated annealing [76] and cross entropy [77] were found inefficient. Experimental results show the superiority of the use of DRL algorithms against those methods in terms of the smaller number of simulation runs. This leads to a more practical detection process for CPS models' defects despite the great complexity of CPS's software and physical systems.

Autonomous vehicles (AVs) operating in the *future smart cities* require a robust processing unit of intra-vehicle sensors, including camera, radar, roadside smart sensors, and inter-vehicle beaconing. Such reliance is vulnerable to cyber-physical attacks aiming to get control of AVs by manipulating the sensory data and affecting the reliability of the system, e.g., increasing accident risks or reducing the vehicular flow. Ferdowsi et al. [78] examined the scenarios where the attackers

manage to interject faulty data to the AV's sensor readings while the AV (the defender) needs to deal with that problem to control AV robustly. Specifically, the *car following model* [79] is considered in which the focus is on autonomous control of a car that follows closely another car. The defender aims to learn the leading vehicle's speed based on sensor readings. The attacker's objective is to mislead the following vehicle to a deviation from the optimal safe spacing. The interactions between attacker and defender are characterized by a game-theoretic problem. The interactive game structure and its DRL solution are diagrammed in Fig. 5. Instead of directly deriving a solution based on the *mixed-strategy Nash equilibrium* analytics, the authors proposed the use of DRL to solve this dynamic game. Long short term memory (LSTM) [80] is used to approximate the Q-function for both defending and attacking agents as it can capture the temporal dynamics of the environment.




Fig. 5. The architecture of the adversarial DRL algorithm for robust AV control. A deep neural network (DNN) consisting of a long short term memory (LSTM), a fully connected layer (FCL) and regression is used to learn long-term dependencies within a large data sets, which contain the outcomes of the players' past interactions. The DNN can approximate the Q functions to find optimal actions for players, i.e., AV (defender) and especially attacker, who seeks to inject faulty data to AV sensor readings.

Autonomous systems can be vulnerable to inefficiency from various sources such as noises in communication channels, sensor failures, errors in sensor measurement readings, packet errors, and especially cyber attacks. *Deception attack* to autonomous systems is widespread as it is initiated by an adversary whose effort is to inject noises to the communication channels between sensors and the command center. This kind of attack leads to corrupted information being sent to the command center and eventually degrades the system performance. Gupta and Yang [81] studied to increase the robustness of autonomous systems by allowing the system to

learn using adversarial examples. The problem is formulated as a zero-sum game with the players to be the command center (observer) and the adversary. The inverted pendulum problem from Roboschool [61] is used as a simulation environment. The TRPO algorithm is employed to design an observer that can reliably detect adversarial attacks in terms of measurement corruption and automatically mitigate their effects.

### B. DRL-based Intrusion Detection Systems

To detect intrusions, security experts conventionally need to observe and examine audit data, e.g., application traces, network traffic flow, and user command data, to differentiate between normal and abnormal behaviors. However, the volume of audit data surges rapidly when the network size is enlarged. This makes manual detection difficult or even impossible. An intrusion detection system (IDS) is a software or hardware platform installed on host computers or network equipment to detect and report to the administrator abnormal or malicious activities by analysing the audit data. An *active IDS* may be able to take appropriate actions immediately to reduce impacts of the malevolent activities. Depending on different types of audit data, IDSs are grouped into two categories: host-based or network-based IDS. *Host-based IDS* typically observes and analyses the host computer's log files or settings to discover anomalous behaviors. *Network-based IDS* relies on a sniffer to collect transmitting packets in the network and examines the traffic data for intrusion detection. Regardless of the IDS type, two common methods are used: signature-based and anomaly-based detection. *Signature detection* involves the storage of patterns of known attacks and comparing characteristics of possible attacks to those in the database. *Anomaly detection* observes the normal behaviors of the system and alerts the administrator if any activities are found deviated from normality, for instance, the unexpected increase of traffic rate, i.e., number of IP packets per second. Machine learning techniques, including unsupervised clustering and supervised classification methods, have been used widely to build adaptive IDSs [82]–[86]. These methods, e.g. neural networks [87], k-nearest neighbors [87], [88], support vector machine (SVM) [87], [89], random forest [90] and recently deep learning [91], [92], however are normally relied on fixed features of existing cyber attacks so that they are deficient to detect new or deformed attacks. The lack of prompt responses to dynamic intrusions also leads to ineffective solutions produced by unsupervised or supervised techniques. In this regard, RL methods have been demonstrated effectively in various IDS applications [93]–[96]. The following subsections review the use of DRL methods in both host-based and network-based IDSs.

1) *Host-based IDS*: As the volume of audit data and complexity of intrusion behaviors increase, adaptive intrusion detection models demonstrate ineffectiveness because they can only handle temporally isolated labeled or unlabeled data. In practice, many complex intrusions comprise temporal sequences of dynamic behaviors. Xu and Xie [97] proposed an RL-based IDS that can handle this problem. System call trace data are used to feed into a *Markov reward process*

whose state value can be used to detect abnormal temporal behaviors of host processes. The intrusion detection problem is thus converted to a state value prediction task of the Markov chains. The linear *temporal difference (TD) RL* algorithm [98] is used as the state value prediction model where its outcomes are compared with a predetermined threshold to distinguish normal traces and attack traces. Instead of using the errors between real values and estimated ones, TD learning algorithm uses the differences between successive approximations to update the state value function. Experimental results obtained from using system call trace data show the dominance of the proposed RL-based IDS in terms of higher accuracy and lower computational costs compared to SVM, hidden Markov model, and other machine learning or data mining methods. The proposed method based on the linear basis functions, however, has a shortcoming when sequential intrusion behaviors are highly nonlinear. Therefore, a kernel-based RL approach using least-squares TD [99] was suggested for intrusion detection in [100], [101]. Relying on the kernel methods, the generalization capability of TD RL is enhanced, especially in high-dimensional and nonlinear feature spaces. The kernel least-squares TD algorithm is, therefore, able to predict anomaly probabilities accurately, which contributes to improving the detection performance of IDS, especially when dealing with multi-stage cyber attacks.

2) *Network-based IDS*: Deokar and Hazarnis [102] pointed out drawbacks of both anomaly-based and signature-based detection methods. On the one hand, anomaly detection has a high false alarm rate because it may categorize activities which users rarely perform as an anomaly. On the other hand, signature original multi-agent router throttling based on the divide-and-conquer paradigm to eli detection cannot discover new types of attacks as it uses a database of patterns of well-known attacks. The authors, therefore, proposed an IDS that can identify known and unknown attacks effectively by combining features of both anomaly and signature detection through the use of log files. The proposed IDS is based on a collaboration of RL method, association rule learning, and log correlation techniques. RL is used to give a reward (or penalty) to the system when it selects log files that contain (or do not contain) anomalies or any signs of attack. This procedure enables the system to choose more appropriate log files in searching for traces of attack.

One of the most difficult challenges in the current Internet is dealing with the *distributed denial-of-service (DDoS)* threat, which is a DoS attack but has the distributed nature, occurring with a large traffic volume, and compromising a large number of hosts. Malialis and Kudenko [103], [104] initially introduced the multi-agent router throttling method based on the SARSA algorithm [105] to address the DDoS attacks by learning multiple agents to rate-limit or throttle traffic towards a victim server. That method, however, has a limited capability in terms of scalability. They therefore further proposed the coordinated team learning design to the original multi-agent router throttling based on the divide-and-conquer paradigm to eliminate the mentioned drawback. The proposed approach integrates three mechanisms, i.e., task decomposition, hierarchical team-based communication,



and team rewards, involving multiple defensive nodes across different locations to coordinately stop or reduce the flood of DDoS attacks. A network emulator is developed based on the work of Yau et al. [106] to evaluate throttling approaches. Simulation results show that the resilience and adaptability of the proposed method are superior to its competing methods, i.e., baseline router throttling and additive-increase/multiplicative-decrease throttling algorithms [106], in various scenarios with different attack dynamics. The scalability of the proposed method is successfully experimented with up to 100 RL agents, which has a great potential to be deployed in a large internet service provider network.

Alternatively, Bhosale et al. [107] proposed a multi-agent intelligent system [108] using RL and influence diagram [109] to enable quick responses against the complex attacks. Each agent learns its policy based on local database and information received from other agents, i.e., decisions and events. Shamshirband et al. [110], on the other hand, introduced an intrusion detection and prevention system for wireless sensor networks (WSNs) based on a game theory approach and employed a fuzzy Q-learning algorithm [111], [112] to obtain optimal policies for the players. Sink nodes, a base station, and an attacker constitute a three-player game where sink nodes and base station are coordinated to derive a defense strategy against the DDoS attacks, particularly in the application layer. The IDS detects future attacks based on fuzzy Q-learning algorithm that takes part in two phases: detection and defense (Fig. 6). The game commences when the attacker sends an overwhelming volume of flooding packets beyond a specific threshold as a DDoS attack to a victim node in the WSN. Using the low energy adaptive clustering hierarchy (LEACH), which is a prominent WSN protocol [113], the performance of the proposed method is evaluated and compared with that of existing soft computing methods. The results show the efficacy and viability of the proposed method in terms of detection accuracy, energy consumption and network lifetime.

### C. DRL-based Game Theory for Cyber Security

Traditional cyber security methods such as firewall, anti-virus software, or intrusion detection are normally passive, unilateral, and lagging behind dynamic attacks. Cyberspace involves various cyber components, and thus, reliable cyber security requires the consideration of interactions among these components. Specifically, the security policy applied to a component has a certain impact on the decisions taken by other components. Therefore, the decision space increases considerably, with many what-if scenarios when the system is large. Game theory has been demonstrated effectively in solving such large-scale problems because it can examine many scenarios to derive the best policy for each player [114]–[118]. The utility or payoff of a game player depends not only on its actions but also on other players’ activities. In other words, the efficacy of cyber defending strategies must take into account the attacker’s strategies and other network users’ behaviors. Game theory can model the conflict and cooperation between intelligent decision makers, resembling activities of cyber security problems, which involve attackers




Fig. 6. Two-phase intrusion detection and prevention system based on a game theory approach and fuzzy Q-learning. In Phase 1, the sink node uses fuzzy Q-learning to detect anomalies caused by the attacker to victim nodes. The malicious information is preprocessed and checked against a threshold by the sink node before passing to Phase 2 where the base station also employs fuzzy Q-learning to select optimal defense actions.

and defenders. This resemblance has enabled game theory to mathematically describe and analyze the complex behaviors of multiple competitive mechanisms. In the following, we present game theoretic models involving multiple DRL agents that characterize cyber security problems in different attacking scenarios, including jamming, spoofing, malware, and attacks in adversarial environments.

1) *Jamming attacks*: Jamming attacks can be considered as a special case of DoS attacks, which are defined as any event that diminishes or eradicates a network’s capacity to execute its expected function [119]–[121]. Jamming is a serious attack in networking and has attracted a great interest of researchers who used machine learning or especially RL to address this problem, e.g., [122]–[128]. The recent development of deep learning has facilitated the use of DRL for jamming handling or mitigation. Xiao et al. [129] studied security challenges of the MEC systems and proposed an RL-based solution to provide secure offloading to the edge nodes against jamming attacks. MEC is a technique that allows cloud computing functions to take place at the edge nodes of a cellular network or generally of any network. This technology helps to decrease network traffic, reduce overhead and latency when users request to access contents that have been cached in the edges closer to the cellular customer. MEC systems, however, are vulnerable to cyber attacks because they are physically located closer to users and attackers with less secure protocols compared to cloud servers or database center. In [129], the RL methodology is used to select the defense levels and important parameters such as offloading rate and time, transmit channel and power. As the network state space is large, the authors proposed the use of DQN to handle high-dimensional data, as illustrated in Fig. 7. DQN uses a convolutional neural network (CNN) to approximate the Q-function that requires high computational complexity and memory. To mitigate this

disadvantage a transfer learning method named hotbooting technique is used. The *hotbooting method* helps to initialize weights of CNN more efficiently by using experiences that have been learned in similar circumstances. This reduces the learning time by avoiding random explorations at the start of each episode. Simulation results demonstrate that the proposed method is effective in terms of enhancing the security and user privacy of MEC systems and it can protect the systems in confronting with different types of smart attacks with low overhead.




Fig. 7. Secure offloading method in MEC based on DQN with hotbooting technique. The DQN agent's actions are to find optimal parameters such as offloading rate, power, and channel for the mobile device to offload the traces to the edge node accordingly. The attackers may deploy jamming, spoofing, DoS, or smart attacks to disrupt this process. By interacting with the edge caching systems, the agent can evaluate the reward of the previous action and obtain new state, enabling it to select the next optimal action.

On the other hand, Aref et al. [130] introduced a multi-agent RL method to deal with anti-jamming communications in *wideband autonomous cognitive radios* (WACRs). WACRs are advanced radios that can sense the states of the radio frequency spectrum and network, and autonomously optimize its operating mode corresponding to the perceived states. Cognitive communication protocols, however, may struggle when there are unintentional interferences or malicious users who attempt to interrupt reliable communications by deliberate jamming. Each radio's effort is to occupy the available common wideband spectrum as much as possible and avoid sweeping signal of a jammer that affects the entire spectrum band. The multi-agent RL approach proposed in [130] learns an optimal policy for each radio to select appropriate sub-band, aiming to avoid jamming signals and interruptions from other radios. Comparative studies show the significant dominance of the proposed method against a random policy. A drawback of the proposed method is the assumption that the jammer uses a fixed strategy in responding to the WACRs strategies, although the jammer may be able to perform adaptive jamming with the cognitive radio technology. In [131], when the current spectrum sub-band is interfered by a jammer, Q-learning is used to optimally select a new sub-band that allows uninterrupted transmission as long as possible. The reward structure of the Q-learning agent is defined as the amount of time that the jammer or interferer takes to interfere with the WACR transmission. Experimental results using the hardware-in-the-loop prototype simulation show that the agent can detect the jamming patterns and successfully learns an optimal sub-

band selection policy for jamming avoidance. The obvious drawback of this method is the use of Q-table with a limited number of environment states.

The access right to spectrum (or more generally resources) is the main difference between CRNs and traditional wireless technologies. RL in general or Q-learning has been investigated to produce optimal policy for cognitive radio nodes to interact with their radio-frequency environment [132]. Attar et al. [133] examined RL solutions against attacks on both CRN architectures, i.e., infrastructure-based, e.g., the IEEE 802.22 standard, and infrastructure-less, e.g., ad hoc CRN. The adversaries may attempt to manipulate the spectrum sensing process and cause the main sources of security threats in infrastructure-less CRNs. The external adversary node is not part of the CRN, but such attackers can affect the operation of an ad hoc CRN via jamming attacks. In an infrastructure-based CRN, an exogenous attacker can mount incumbent emulation or perform sensor-jamming attacks. The attacker can increase the local false-alarm probability to affect the decision of the IEEE 802.22 base station about the availability of a given band. A jamming attack can have both short-term and long-term effects. Wang et al. [134] developed a game-theoretic framework to battle against jamming in CRNs where each radio observes the status and quality of available channels and the strategy of jammers to make decisions accordingly. The CRN can learn optimal channel utilization strategy using minimax-Q learning policy [135], solving the problems of how many channels to use for data and to control packets along with the channel switching strategy. The performance of minimax-Q learning represented via spectrum-efficient throughput is superior to the myopic learning method, which gives high priority to the immediate payoff and ignores the environment dynamics as well as the attackers' cognitive capability.

In CRNs, *secondary users* (SUs) are obliged to avoid disruptions to communications of *primary users* (PUs) and can only gain access to the licensed spectrum when it is not occupied by PUs. Jamming attacks are emergent in CRNs due to the opportunistic access of SUs as well as the appearance of *smart jammers*, which can detect the transmission strategy of SUs. Xiao et al. [136] studied the scenarios where a smart jammer aims to disrupt the SUs rather than PUs. The SUs and jammer, therefore, must sense the channel to check the presence of PUs before making their decisions. The constructed scenarios consist of a secondary source node supported by relay nodes to transmit data packets to secondary receiving nodes. The smart jammer can learn quickly the frequency and transmission power of SUs while SUs do not have full knowledge of the underlying dynamic environment. The interactions between SUs and jammer are modeled as a cooperative transmission power control game, and the optimal strategy for SUs is derived based on the Stackelberg equilibrium [137]. The aim of SU players is to select appropriate transmission powers to efficiently send data messages in the presence of jamming attacks. Jammer's utility gain is the SUs' loss and vice versa. RL methods, i.e., Q-learning [57] and WoLF-PHC [138], are used to model SUs as intelligent agents for coping with the smart jammer. WoLF-PHC stands for the combination of Win or Learn Fast

algorithm and policy hill-climbing method. It uses a varying learning rate to foster convergence to the game equilibrium by adjusting the learning speed [138]. Simulation results show the improvement in the anti-jamming performance of the proposed method in terms of the signal to interference plus noise ratio (SINR). The optimal strategy achieved from the Stackelberg game can minimize the damage created by the jammer in the worst-case scenario.

Recently, Han et al. [139] introduced an anti-jamming system for CRNs using the DQN algorithm based on a *frequency-spatial* anti-jamming communication game. The game simulates an environment of numerous jammers that inject jamming signals to disturb the ongoing transmissions of SUs. The SU should not interfere with the communications of PUs and must defeat smart jammers. This communication system is two-dimensional that utilizes both frequency hopping and user mobility. The RL state is the radio environment consisting of PUs, SUs, jammers, and serving base station/access point. The DQN is used to derive an optimal frequency hopping policy that determines whether the SU should leave an area of heavy jamming or choose a channel to send signals. Experimental results show the superiority of the DQN-based method against the Q-learning based strategy in terms of faster convergence rate, increased SINR, lower cost of defense, and improved utility of the SU. DQN with the core component CNN helps to speed the learning process of the system, which has a large number of frequency channels, compared with the benchmark Q-learning method.

To improve the work of Han et al. [139], Liu et al. [140] also proposed an anti-jamming communication system using a DRL method but having different and more extensive contributions. Specifically, Liu et al. [140] used the raw spectrum information with temporal features, known as *spectrum waterfall* [141] to characterize the environment state rather than using the SINR and PU occupancy as in [139]. Because of this, Liu et al.'s model does not necessitate prior knowledge about the jamming patterns and parameters of the jammer but rather uses the local observation data. This prevents the model from the loss of information and facilitates its adaptability to a dynamic environment. Furthermore, Liu et al.'s work does not assume that the jammer needs to take the same channel-slot transmission structure with the users as in [139]. The recursive CNN is utilized to deal with a complex infinite environment state represented by spectrum waterfall, which has a recursion characteristic. The model is tested using several jamming scenarios, which include the sweeping jamming, comb jamming, dynamic jamming, and intelligent comb jamming. A disadvantage of both Han et al. and Liu et al.'s methods is that they can only derive an optimal policy for one user, which inspires a future research direction focusing on multiple users' scenarios.

2) *Spoofing attacks*: Spoofing attacks are popular in wireless networks where the attacker claims to be another node using the faked identity such as media access control to gain access to the network illegitimately. This illegal penetration may lead to man-in-the-middle, or DoS attacks [142]. Xiao et al. [143], [144] modeled the interactions between the legitimate receiver and spoofers as a zero-sum authentication

game and utilized Q-learning and Dyna-Q [145] algorithms to address the spoofing detection problem. The utility of receiver or spoofer is computed based on the Bayesian risk, which is the expected payoff in the spoofing detection. The receiver aims to select the optimal test threshold in PHY-layer spoofing detection while the spoofer needs to select an optimal attacking frequency. To prevent collisions, spoofers are cooperative to attack the receiver. Simulation and experimental results show the improved performance of the proposed methods against the benchmark method with a fixed test threshold. A disadvantage of the proposed approaches is that both action and state spaces are quantized into discrete levels, bounded within a specified interval, which may lead to locally optimal solutions.

3) *Malware attacks*: One of the most challenging malware of mobile devices is the *zero-day attacks*, which exploit publicly unknown security vulnerabilities, and until they are contained or mitigated, hackers might have already caused adverse effects on computer programs, data or networks [146], [147]. To avoid such attacks, the traces or log data produced by the applications need to be processed in real time. With limited computational power, battery life and radio bandwidth, mobile devices often offload specific malware detection tasks to security servers at the cloud for processing. The security server with powerful computational resources and more updated malware database can process the tasks quicker, more accurately, and then send a detection report back to mobile devices with less delay. The offloading process is, therefore, the key factor affecting the *cloud-based malware detection* performance. For example, if too many tasks are offloaded to the cloud server, there would be radio network congestion that can lead to long detection delay. Wan et al. [148] enhanced the mobile offloading performance by improving the previously proposed game model in [149]. The Q-learning approach used in [149] to select optimal offloading rate suffers the curse of high-dimensionality when the network size is increased, or a large number of feasible offloading rates is available for selection. Wan et al. [148] thus advocated the use of hotbooting Q-learning and DQN, and showed the performance improvement in terms of malware detection accuracy and speed compared to the standard Q-learning. The cloud-based malware detection approach using DQN for selecting the offloading rate is illustrated in Fig. 8.

4) *Attacks in adversarial environment*: Traditional networks facilitate the direct communications between client application and server where each network has its switch control that makes the network reconfiguration task time-consuming and inefficient. This method is also disadvantageous because the requested data may need to be retrieved from more than one database involving multiple servers. SDN is a next-generation networking technology as it can reconfigure the network adaptively. With the control being programmable with a global view of the network architecture, SDN can manage and optimize network resources effectively. RL has been demonstrated broadly in the literature as a robust method for SDN controlling, e.g., [150][154].

Although RL's success in SDN controlling is abundant, the attacker may be able to falsify the defender's training process if it is aware of the network control algorithm in an adversarial





#### IV. DISCUSSIONS AND FUTURE RESEARCH DIRECTIONS

DRL has emerged over recent years as one of the most successful methods of designing and creating human or even superhuman AI agents. Much of these successes have relied on the incorporation of DNNs into a framework of traditional RL to address complex and high-dimensional sequential decision-making problems. Applications of DRL algorithms, therefore, have been found in various fields, including IoT and cyber security. Computers and the Internet today play crucial roles in many areas of our lives, e.g., entertainment, communication, transportation, medicine, and even shopping. Lots of our personal information and important data are stored online. Even financial institutions, e.g., banks, mortgage companies, and brokerage firms, run their business online. Therefore, it is essential to have a security plan in place to prevent hackers from accessing our computer systems. This paper has presented a comprehensive survey of DRL methods and their applications to cyber security problems, with notable examples summarized in Table II.

The adversarial environment of cyber systems has instigated various proposals of game theory models involving multiple DRL agents. We found that this kind of application occupies a major proportion of papers in the literature relating to DRL for cyber security problems. Another emerging area is the use of DRL for security solutions of cyber-physical systems. The large-scale and complex nature of CPSs, e.g., environmental monitoring networks, electrical smart grid systems, transportation management network, and cyber manufacturing management system, require security solutions to be responsive and accurate. This has been addressed efficiently by various DRL approaches, e.g., TRPO algorithm [81], LSTM-Q-learning [78], double DQN, and A3C [75]. In contrast, although there have been a large number of applications of traditional RL methods to intrusion detection systems, there has been a small amount of work on DRL algorithms for this kind of application. This is probably because the integration of deep learning and RL methods has just been sustained very recently, i.e., in the last few years, which leaves researchers in the cyber intrusion detection area some time lag to catch up with. The complexity and dynamics of intrusion detection can be addressed efficiently by representation learning and function approximation capabilities of deep learning and optimal sequential decision making the capability of RL collectively. There is thus a gap for future research where DRL's capabilities can be exploited fully to solve complex and sophisticated cyber intrusion detection problems.

Most DRL algorithms used for cyber defense so far are model-free methods, which are sample inefficient as they require a large quantity of training data. These data are difficult to obtain in real cyber security practice. Researchers generally utilize a simulator to validate their proposed approaches, but these simulators often do not characterize the complexity and dynamics of real cyber space of the IoT systems fully. Model-based DRL methods are more appropriate than model-free methods when training data are limitedly available because, with model-based DRL, it can be easy to collect data in a scalable way. Exploration of model-based DRL methods or

the integration of model-based and model-free methods for cyber defense is thus an interesting future study. For example, function approximators can be used to learn a proxy model of the actual high-dimensional and possibly partial observable environment [162][164], which can be then employed to deploy planning algorithms, e.g., Monte-Carlo tree search techniques [165], to derive optimal actions. Alternatively, model-based and model-free combination approaches, such as model-free policy with planning capabilities [166], [167] or model-based lookahead search [30], can be used as they aggregate advantages of both methods. On the other hand, current literature on applications of DRL to cyber security often limits at discretizing the action space, which restricts the full capability of the DRL solutions to real-world problems. An example is the application of DRL for selecting optimal mobile offloading rates in [148], [149] where the action space has been discretized although a small change of the rate would primarily affect the performance of the cloud-based malware detection system. Investigation of methods that can deal with continuous action space in cyber environments, e.g., policy gradient and actor-critic algorithms, is another encouraging research direction.

AI can help defend against cyber attacks but can also facilitate dangerous attacks, i.e., *offensive AI*. Hackers can take advantages of AI to make attacks smarter and more sophisticated to bypass detection methods to penetrate computer systems or networks. For example, hackers may employ algorithms to observe normal behaviors of users and use the users' patterns to develop untraceable attacking strategies. Machine learning-based systems can mimic humans to craft convincing fake messages that are utilized to conduct large-scale phishing attacks. Likewise, by creating highly realistic fake video or audio messages based on AI advances (i.e., *deepfakes*), hackers can spread false news in elections or manipulate financial markets. Alternatively, attackers can poison the data pool used for training deep learning methods (i.e., *machine learning poisoning*) or attackers can manipulate the states, falsify part of the reward signals in RL to trick the agent into taking sub-optimal actions, resulting in the agent being compromised. These kinds of attacks are difficult to prevent, detect, and fight against as they are part of a battle between AI systems. *Adversarial machine learning*, especially supervised methods, have been used extensively in cyber security [168] but very few studies have been found on using adversarial RL. Adversarial DRL or DRL algorithms trained in various adversarial cyber environments are worth comprehensive investigations as they can be a solution to battle against the increasingly complex offensive AI systems.

With the support of AI systems, cyber security experts no longer examine a huge volume of attack data manually to detect and defend against cyber attacks. This has many advantages because the security teams alone cannot sustain the volume. AI-enabled defense strategies can be automated and deployed rapidly and efficiently but these systems alone cannot issue creative responses when new threats are introduced. Moreover, human adversaries are always behind the cybercrime or cyber warfare. Therefore, there is a critical need for human intellect teamed with machines for cyber

TABLE II  
SUMMARY OF TYPICAL DRL APPLICATIONS IN CYBER SECURITY

Applications	Goals/Objectives	Algorithms	States	Actions	Rewards
Virtualized smart city network resource allocation [44]	Optimally assign virtualized resources to a specific user.	Double dueling DQN	Status of the base station, MEC server, and content cache.	Decide which base station is assigned to the user and whether the requested content should be cached in the base station. Also, determine whether the computation task should be offloaded to the MEC server.	Mobile virtual network operator's revenue computed based on the received signal-to-noise ratio of the wireless access link, the computation ability, and the cache status.
Mobile edge caching [47]	Maximize offloading traffic.	A3C	Raw signals such as user requests, context information, and network conditions.	Whether to cache the currently requested content. If yes, determine which local content will be replaced.	The offloading traffic in each request, i.e., the number of contents responded by the edge node.
Robustness-guided falsification of CPS [75]	Find falsifying inputs (counterexamples) for CPS	Double DQN and A3C	Defined as the output of the system.	Choose the next input value from a set of piecewise-constant input signals.	Characterized by a function of past-dependent life-long property, output signal and time.
Security and safety in autonomous vehicle systems [78]	Maximize the robustness of AV dynamics control to cyber-physical attacks that inject faulty data to sensor readings.	Q-learning with LSTM	AV's own position and speed along with distance and speed of some nearby objects, e.g., the leading AV.	Take appropriate speeds to maintain safe spacing between AVs.	Defined via a utility function that takes into account the deviation from the optimal safe spacing.
Increasing robustness of the autonomous system against adversarial attacks [81]	Devise filtering schemes to detect corrupted measurements (deception attack) and mitigate the effects of adversarial errors.	TRPO	Characterized by sensor measurements and actuation noises.	Determine which estimation rule to use to generate an estimated state from a corrupted state.	Defined via a function that takes state features as inputs.
Secure offloading in mobile edge caching [129]	Learn a policy for a mobile device to securely offload data to edge nodes against jamming and smart attacks.	DQN with hotbooting transfer learning technique.	Represented via a combination of user density, battery levels, jamming strength, and radio channel bandwidth.	Agent's actions include choosing an edge node, selecting offloading rate and time, transmit power and channel.	Computed based on secrecy capacity, energy consumption, and communication efficiency.
Anti-jamming communication scheme for CRN [139]	Derive an optimal frequency hopping policy for CRN SUs to defeat smart jammers based on a frequency-spatial anti-jamming game.	DQN that employs CNN	Consist of presence status of PUs and SINR information at time $t - 1$ received from serving base station or access point.	SUs take action to leave a geographical area of heavy jamming obstructed by smart jammers or choose a frequency channel to send signals.	Represented via a utility function based on SINR and transmission cost.
Anti-jamming communication method [140], improving the previous work in [139]	Propose a smart anti-jamming scheme similar to [139] with two main differences: spectrum waterfall is used as the state, and jammers can have different channel-slot transmission structure with users.	DQN that employs recursive CNN because of recursion characteristic of spectrum waterfall.	Using temporal and spectral information, i.e., spectrum waterfall containing both frequency and time domain information of the network environment.	Agent's action is to select a discretized transmission frequency from a predefined set.	Defined by a function involving SINR-based transmission rate and cost for frequency switching.
Spoofing detection in wireless networks [143], [144]	Select the optimal authentication threshold.	Q-learning and Dyna-Q	Consist of false alarm rate and missed detection rate of the spoofing detection at time $t - 1$	Action set includes the choices of different discrete levels of the authentication thresholds bounded within a specified interval.	Represented by a utility function calculated based on the Bayesian risk, which is the expected payoff in spoofing detection.
Mobile offloading for cloud-based malware detection [148], improving the previous work in [149]	Improve malware detection accuracy and speed.	Hotbooting Q-learning and DQN.	Include current radio bandwidth, previous offloading rates of other devices.	Select optimal offloading rate level for each mobile device.	Represented by a utility function calculated based on the detection accuracy, response speed, and transmission cost.
Autonomous defense in SDN [155]	Tackle the poisoning attacks that manipulate states or flip reward signals during the training process of RL-based defense agents.	Double DQN and A3C	Represented by an array of zeros and ones showing the state of the network (whether a node is compromised or a link is switched on/off). Array length is equal to several nodes plus several links.	Attackers learn to select a node to compromise while a defender can take four actions: isolate, patch, reconnect and migrate to protect server and preserve as many nodes as possible.	Modelled based on the status of the critical server, number of preserved nodes, migration cost and the validity of actions taken.

defenses. The traditional *human-in-the-loop* model for human-machine integration struggles to adapt quickly with cyber defense system because autonomous agent carries out part of the task and need to halt to wait for human's responses before completing the task. The modern *human-on-the-loop* model would be a solution for a future human-machine teaming cyber security system. This model allows agents to autonomously perform the task whilst humans can monitor and intervene operations of agents only when necessary. How to integrate human knowledge into DRL algorithms [169] under the human-on-the-loop model for cyber defense is an interesting research

question.

As hackers utilized more and more sophisticated and large-scale approach to attack computer systems and networks, the defense strategies need to be more intelligent and large-scale as well. Multi-agent DRL is a research direction that can be explored to tackle this problem. Game theory models for cyber security reviewed in this paper have involved multiple agents but they are restricted at a couple of attackers and defenders with limited communication, cooperation and coordination among the agents. These aspects of multi-agent DRL need to be investigated thoroughly in cyber security problems

to enable an effective large-scale defense plan. Challenges of multi-agent DRL itself then need to be addressed such as non-stationarity, partial observability, and efficient multi-agent training schemes [170]. On the other hand, the RL methodology has been applied to deal with various cyber attacks, e.g. jamming, spoofing, malware, DoS, DDoS, brute force, Heartbleed, botnet, web attack, and infiltration attack. However, recently emerged or new types of attacks have been largely unaddressed. One of these new types is the *bit-and-piece DDoS attack*. This attack injects small junk into legitimate traffic of over a large number of IP addresses so that it can bypass many detection methods as there is so little of it per address. Another emerging attack, for instance, is attacking from the computing cloud to breach systems of companies who manage IT systems for other firms or host other firms' data on their servers. Alternatively, hackers can use quantum physics-based powerful computers to crack encryption algorithms that are currently used to protect various types of invaluable data. Consequently, a future study on addressing these new types of attacks is encouraged.

#### REFERENCES

- [1] Kreutz, D., Ramos, F. M., Verissimo, P., Rothenberg, C. E., Azodolmolky, S., and Uhlig, S. (2015). Software-defined networking: A comprehensive survey. *Proceedings of the IEEE*, 103(1), 14-76.
- [2] Xia, W., Wen, Y., Foh, C. H., Niyato, D., and Xie, H. (2015). A survey on software-defined networking. *IEEE Communications Surveys and Tutorials*, 17(1), 27-51.
- [3] Kakalou, I., Psannis, K. E., Krawiec, P., and Badea, R. (2017). Cognitive network and network service chaining toward 5G: Challenges and requirements. *IEEE Communications Magazine*, 55(11), 145-151.
- [4] Naeem, A., Rehmani, M. H., Saleem, Y., Rashid, I., and Crespi, N. (2017). Network coding in cognitive radio networks: A comprehensive survey. *IEEE Communications Surveys and Tutorials*, 19(3), 1945-1973.
- [5] Botta, A., De Donato, W., Persico, V., and Pescap, A. (2016). Integration of cloud computing and internet of things: A survey. *Future Generation Computer Systems*, 56, 684-700.
- [6] Shi, W., Cao, J., Zhang, Q., Li, Y., and Xu, L. (2016). Edge computing: Vision and challenges. *IEEE Internet of Things Journal*, 3(5), 637-646.
- [7] Abbas, N., Zhang, Y., Taherkordi, A., and Skeie, T. (2018). Mobile edge computing: A survey. *IEEE Internet of Things Journal*, 5(1), 450-465.
- [8] Dastjerdi, A. V., and Buyya, R. (2016). Fog computing: Helping the Internet of Things realize its potential. *Computer*, 49(8), 112-116.
- [9] Geluvaraj, B., Satwik, P. M., and Kumar, T. A. (2019). The future of cybersecurity: Major role of artificial intelligence, machine learning, and deep learning in cyberspace. In *International Conference on Computer Networks and Communication Technologies* (pp. 739-747). Springer, Singapore.
- [10] Garcia-Teodoro, P., Diaz-Verdejo, J., Maci-Fernandez, G., and Vzquez, E. (2009). Anomaly-based network intrusion detection: Techniques, systems and challenges. *Computers and Security*, 28(1-2), 18-28.
- [11] Dua, S., and Du, X. (2011). *Data Mining and Machine Learning in Cybersecurity*. CRC Press.
- [12] Buczak, A. L., and Guven, E. (2016). A survey of data mining and machine learning methods for cyber security intrusion detection. *IEEE Communications Surveys and Tutorials*, 18(2), 1153-1176.
- [13] Apruzzese, G., Colajanni, M., Ferretti, L., Guido, A., and Marchetti, M. (2018, May). On the effectiveness of machine and deep learning for cyber security. In *2018 International Conference on Cyber Conflict (CyCon)* (pp. 371-390). IEEE.
- [14] Biswas, S. K. (2018). Intrusion detection using machine learning: A comparison study. *International Journal of Pure and Applied Mathematics*, 118(19), 101-114.
- [15] Xin, Y., Kong, L., Liu, Z., Chen, Y., Li, Y., Zhu, H., Gao, M., Hou, H., and Wang, C. (2018). Machine learning and deep learning methods for cybersecurity. *IEEE Access*, 6, 35365-35381.
- [16] Milosevic, N., Dehghantaha, A., and Choo, K. K. R. (2017). Machine learning aided Android malware classification. *Computers and Electrical Engineering*, 61, 266-274.
- [17] Mohammed Harun Babu, R., Vinayakumar, R., and Soman, K. P. (2018). A short review on applications of deep learning for cyber security. *arXiv preprint arXiv:1812.06292*.
- [18] Rege, M., and Mbah, R. B. K. (2018). Machine learning for cyber defense and attack. In *The Seventh International Conference on Data Analytics* (pp. 73-78). IARIA.
- [19] Berman, D. S., Buczak, A. L., Chavis, J. S., and Corbett, C. L. (2019). A survey of deep learning methods for cyber security. *Information*, 10(4), 122.
- [20] Ding, D., Han, Q. L., Xiang, Y., Ge, X., and Zhang, X. M. (2018). A survey on security control and attack detection for industrial cyber-physical systems. *Neurocomputing*, 275, 1674-1683.
- [21] Wu, M., Song, Z., and Moon, Y. B. (2019). Detecting cyber-physical attacks in CyberManufacturing systems with machine learning methods. *Journal of Intelligent Manufacturing*, 30(3), 1111-1123.
- [22] Xiao, L., Wan, X., Lu, X., Zhang, Y., and Wu, D. (2018). IoT security techniques based on machine learning. *arXiv preprint arXiv:1801.06275*.
- [23] Sharma, A., Kalbarczyk, Z., Barlow, J., and Iyer, R. (2011, June). Analysis of security data from a large computing organization. In *Dependable Systems and Networks (DSN), 2011 IEEE/IFIP 41st International Conference on* (pp. 506-517). IEEE.
- [24] Ling, M. H., Yau, K. L. A., Qadir, J., Poh, G. S., and Ni, Q. (2015). Application of reinforcement learning for security enhancement in cognitive radio networks. *Applied Soft Computing*, 37, 809-829.
- [25] Wang, Y., Ye, Z., Wan, P., and Zhao, J. (2019). A survey of dynamic spectrum allocation based on reinforcement learning algorithms in cognitive radio networks. *Artificial Intelligence Review*, 51(3), 493-506.
- [26] Nguyen, N. D., Nguyen, T., and Nahavandi, S. (2017). System design perspective for human-level agents using deep reinforcement learning: A survey. *IEEE Access*, 5, 27091-27102.
- [27] Nguyen, T. T. (2018). A multi-objective deep reinforcement learning framework. *arXiv preprint arXiv:1803.02965*.
- [28] Mnih, V., Kavukcuoglu, K., Silver, D., Rusu, A. A., Veness, J., Belle-mare, M. G., ... and Petersen, S. (2015). Human-level control through deep reinforcement learning. *Nature*, 518(7540), 529.
- [29] Nguyen, N. D., Nahavandi, S., and Nguyen, T. (2018, October). A human mixed strategy approach to deep reinforcement learning. In *2018 IEEE International Conference on Systems, Man, and Cybernetics (SMC)* (pp. 4023-4028). IEEE.
- [30] Silver, D., Huang, A., Maddison, C. J., Guez, A., Sifre, L., Van Den Driessche, G., ... and Dieleman, S. (2016). Mastering the game of Go with deep neural networks and tree search. *Nature*, 529(7587), 484.
- [31] Silver, D., Schrittwieser, J., Simonyan, K., Antonoglou, I., Huang, A., Guez, A., ... and Chen, Y. (2017). Mastering the game of Go without human knowledge. *Nature*, 550(7676), 354.
- [32] Vinyals, O., Ewalds, T., Bartunov, S., Georgiev, P., Vezhnevets, A. S., Yeo, M., ... and Quan, J. (2017). StarCraft II: A new challenge for reinforcement learning. *arXiv preprint arXiv:1708.04782*.
- [33] Sun, P., Sun, X., Han, L., Xiong, J., Wang, Q., Li, B., ... and Zhang, T. (2018). TStarBots: Defeating the cheating level builtin AI in StarCraft II in the full game. *arXiv preprint arXiv:1809.07193*.
- [34] Pang, Z. J., Liu, R. Z., Meng, Z. Y., Zhang, Y., Yu, Y., and Lu, T. (2018). On reinforcement learning for full-length game of StarCraft. *arXiv preprint arXiv:1809.09095*.
- [35] Zambaldi, V., Raposo, D., Santoro, A., Bapst, V., Li, Y., Babuschkin, I., ... and Shanahan, M. (2018). Relational deep reinforcement learning. *arXiv preprint arXiv:1806.01830*.
- [36] Jaderberg, M., Czarnecki, W. M., Dunning, I., Marris, L., Lever, G., Castaneda, A. G., ... and Sonnerat, N. (2018). Human-level performance in first-person multiplayer games with population-based deep reinforcement learning. *arXiv preprint arXiv:1807.01281*.
- [37] OpenAI (2019, March 1). OpenAI Five. Retrieved from <https://openai.com/five/>
- [38] Gu, S., Holly, E., Lillicrap, T., and Levine, S. (2017, May). Deep reinforcement learning for robotic manipulation with asynchronous off-policy updates. In *2017 IEEE International Conference on Robotics and Automation (ICRA)* (pp. 3389-3396). IEEE.
- [39] Isele, D., Rahimi, R., Cosgun, A., Subramanian, K., and Fujimura, K. (2018, May). Navigating occluded intersections with autonomous vehicles using deep reinforcement learning. In *2018 IEEE International Conference on Robotics and Automation (ICRA)* (pp. 2034-2039). IEEE.
- [40] Nguyen, T. T., Nguyen, N. D., Bello, F., and Nahavandi, S. (2019). A new tensioning method using deep reinforcement learning for surgical pattern cutting. *arXiv preprint arXiv:1901.03327*.
- [41] Nguyen, N. D., Nguyen, T., Nahavandi, S., Bhatti, A., and Guest, G. (2019). Manipulating soft tissues by deep reinforcement learning for autonomous robotic surgery. *arXiv preprint arXiv:1902.05183*.

- [42] Mahmud, M., Kaiser, M. S., Hussain, A., and Vassanelli, S. (2018). Applications of deep learning and reinforcement learning to biological data. *IEEE Transactions on Neural Networks and Learning Systems*, 29(6), 2063-2079.
- [43] Popova, M., Isayev, O., and Tropsha, A. (2018). Deep reinforcement learning for de novo drug design. *Science Advances*, 4(7), eaap7885.
- [44] He, Y., Yu, F. R., Zhao, N., Leung, V. C., and Yin, H. (2017). Software-defined networks with mobile edge computing and caching for smart cities: A big data deep reinforcement learning approach. *IEEE Communications Magazine*, 55(12), 31-37.
- [45] Hasselt, H. V., Guez, A., and Silver, D. (2016, February). Deep reinforcement learning with double Q-learning. In *Proceedings of the Thirtieth AAAI Conference on Artificial Intelligence* (pp. 2094-2100). AAAI Press.
- [46] Wang, Z., Schaul, T., Hessel, M., Hasselt, H., Lanctot, M., and Freitas, N. (2016, June). Dueling network architectures for deep reinforcement learning. In *International Conference on Machine Learning* (pp. 1995-2003).
- [47] Zhu, H., Cao, Y., Wang, W., Jiang, T., and Jin, S. (2018). Deep reinforcement learning for mobile edge caching: Review, new features, and open issues. *IEEE Network*, 32(6), 50-57.
- [48] Mnih, V., Badia, A. P., Mirza, M., Graves, A., Lillicrap, T., Harley, T., ... and Kavukcuoglu, K. (2016, June). Asynchronous methods for deep reinforcement learning. In *International Conference on Machine Learning* (pp. 1928-1937).
- [49] Zhang, Y., Yao, J., and Guan, H. (2017). Intelligent cloud resource management with deep reinforcement learning. *IEEE Cloud Computing*, 4(6), 60-69.
- [50] Zhu, J., Song, Y., Jiang, D., and Song, H. (2017). A new deep-Q-learning-based transmission scheduling mechanism for the cognitive Internet of Things. *IEEE Internet of Things Journal*, 5(4), 2375-2385.
- [51] Cheng, M., Li, J., and Nazarian, S. (2018, January). DRL-cloud: Deep reinforcement learning-based resource provisioning and task scheduling for cloud service providers. In *Proceedings of the 23rd Asia and South Pacific Design Automation Conference* (pp. 129-134). IEEE Press.
- [52] Zhang, D., Han, X., and Deng, C. (2018). Review on the research and practice of deep learning and reinforcement learning in smart grids. *CSEE Journal of Power and Energy Systems*, 4(3), 362-370.
- [53] He, X., Wang, K., Huang, H., Miyazaki, T., Wang, Y., and Guo, S. (2018). Green resource allocation based on deep reinforcement learning in content-centric IoT. *IEEE Transactions on Emerging Topics in Computing*. DOI: 10.1109/TETC.2018.2805718.
- [54] He, Y., Liang, C., Yu, R., and Han, Z. (2018). Trust-based social networks with computing, caching and communications: A deep reinforcement learning approach. *IEEE Transactions on Network Science and Engineering*. DOI: 10.1109/TNSE.2018.2865183.
- [55] Luong, N. C., Hoang, D. T., Gong, S., Niyato, D., Wang, P., Liang, Y. C., and Kim, D. I. (2019). Applications of deep reinforcement learning in communications and networking: A survey. *IEEE Communications Surveys and Tutorials*. DOI: 10.1109/COMST.2019.2916583.
- [56] Dai, Y., Xu, D., Maharjan, S., Chen, Z., He, Q., and Zhang, Y. (2019). Blockchain and deep reinforcement learning empowered intelligent 5G beyond. *IEEE Network*, 33(3), 10-17.
- [57] Watkins, C. J., and Dayan, P. (1992). Q-learning. *Machine Learning*, 8(3-4), 279-292.
- [58] Arulkumaran, K., Deisenroth, M. P., Brundage, M., and Bharath, A. A. (2017). Deep reinforcement learning: A brief survey. *IEEE Signal Processing Magazine*, 34(6), 26-38.
- [59] Mnih, V., Kavukcuoglu, K., Silver, D., Graves, A., Antonoglou, I., Wierstra, D., and Riedmiller, M. (2013). Playing Atari with deep reinforcement learning. *arXiv preprint arXiv:1312.5602*.
- [60] Schulman, J., Levine, S., Abbeel, P., Jordan, M., and Moritz, P. (2015, June). Trust region policy optimization. In *International Conference on Machine Learning* (pp. 1889-1897).
- [61] Schulman, J., Wolski, F., Dhariwal, P., Radford, A., and Klimov, O. (2017). Proximal policy optimization algorithms. *arXiv preprint arXiv:1707.06347*.
- [62] Wu, C., Rajeswaran, A., Duan, Y., Kumar, V., Bayen, A. M., Kakade, S., ... and Abbeel, P. (2018). Variance reduction for policy gradient with action-dependent factorized baselines. *arXiv preprint arXiv:1803.07246*.
- [63] Schaul, T., Quan, J., Antonoglou, I., and Silver, D. (2015). Prioritized experience replay. *arXiv preprint arXiv:1511.05952*.
- [64] Lillicrap, T. P., Hunt, J. J., Pritzel, A., Heess, N., Erez, T., Tassa, Y., ... and Wierstra, D. (2015). Continuous control with deep reinforcement learning. *arXiv preprint arXiv:1509.02971*.
- [65] Barth-Maron, G., Hoffman, M. W., Budden, D., Dabney, W., Horgan, D., Muldal, A., ... and Lillicrap, T. (2018). Distributed distributional deterministic policy gradients. *arXiv preprint arXiv:1804.08617*.
- [66] Jaderberg, M., Mnih, V., Czarnecki, W. M., Schaul, T., Leibo, J. Z., Silver, D., and Kavukcuoglu, K. (2016). Reinforcement learning with unsupervised auxiliary tasks. *arXiv preprint arXiv:1611.05397*.
- [67] Wang, L., Trngren, M., and Onori, M. (2015). Current status and advancement of cyber-physical systems in manufacturing. *Journal of Manufacturing Systems*, 37, 517-527.
- [68] Zhang, Y., Qiu, M., Tsai, C. W., Hassan, M. M., and Alamri, A. (2017). Health-CPS: Healthcare cyber-physical system assisted by cloud and big data. *IEEE Systems Journal*, 11(1), 88-95.
- [69] Shakeel, P. M., Baskar, S., Dhulipala, V. S., Mishra, S., and Jaber, M. M. (2018). Maintaining security and privacy in health care system using learning based deep-Q-networks. *Journal of Medical Systems*, 42(10), 186.
- [70] Cintuglu, M. H., Mohammed, O. A., Akkaya, K., and Uluagac, A. S. (2017). A survey on smart grid cyber-physical system testbeds. *IEEE Communications Surveys and Tutorials*, 19(1), 446-464.
- [71] Chen, Y., Huang, S., Liu, F., Wang, Z., and Sun, X. (2018). Evaluation of reinforcement learning-based false data injection attack to automatic voltage control. *IEEE Transactions on Smart Grid*, 10(2), 2158-2169.
- [72] Li, Y., Zhang, L., Zheng, H., He, X., Peeta, S., Zheng, T., and Li, Y. (2018). Nonlane-discipline-based car-following model for electric vehicles in transportation-cyber-physical systems. *IEEE Transactions on Intelligent Transportation Systems*, 19(1), 38-47.
- [73] Li, C., and Qiu, M. (2019). Reinforcement Learning for Cyber-Physical Systems: with Cybersecurity Case Studies. CRC Press.
- [74] Feng, M., and Xu, H. (2017, November). Deep reinforcement learning based optimal defense for cyber-physical system in presence of unknown cyber attack. In *Computational Intelligence (SSCI), 2017 IEEE Symposium Series on* (pp. 1-8). IEEE.
- [75] Akazaki, T., Liu, S., Yamagata, Y., Duan, Y., and Hao, J. (2018, July). Falsification of cyber-physical systems using deep reinforcement learning. In *International Symposium on Formal Methods* (pp. 456-465). Springer, Cham.
- [76] Abbas, H., and Fainekos, G. (2012, October). Convergence proofs for simulated annealing falsification of safety properties. In *2012 50th Annual Allerton Conference on Communication, Control, and Computing (Allerton)* (pp. 1594-1601). IEEE.
- [77] Sankaranarayanan, S., and Fainekos, G. (2012, April). Falsification of temporal properties of hybrid systems using the cross-entropy method. In *Proceedings of the 15th ACM international conference on Hybrid Systems: Computation and Control* (pp. 125-134). ACM.
- [78] Ferdowsi, A., Challita, U., Saad, W., and Mandayam, N. B. (2018). Robust deep reinforcement learning for security and safety in autonomous vehicle systems. *arXiv preprint arXiv:1805.00983*.
- [79] Wang, X., Jiang, R., Li, L., Lin, Y. L., and Wang, F. Y. (2019). Long memory is important: A test study on deep-learning based car-following model. *Physica A: Statistical Mechanics and its Applications*, 514, 786-795.
- [80] Hochreiter, S., and Schmidhuber, J. (1997). Long short-term memory. *Neural Computation*, 9(8), 1735-1780.
- [81] Gupta, A., and Yang, Z. (2018). Adversarial reinforcement learning for observer design in autonomous systems under cyber attacks. *arXiv preprint arXiv:1809.06784*.
- [82] Abubakar, A., and Pranggono, B. (2017, September). Machine learning based intrusion detection system for software defined networks. In *2017 Seventh International Conference on Emerging Security Technologies (EST)* (pp. 138-143). IEEE.
- [83] Jose, S., Malathi, D., Reddy, B., and Jayaseeli, D. (2018, April). A survey on anomaly based host intrusion detection system. In *Journal of Physics: Conference Series* (vol. 1000, no. 1, p. 012049). IOP Publishing.
- [84] Roshan, S., Miche, Y., Akusok, A., and Lendasse, A. (2018). Adaptive and online network intrusion detection system using clustering and extreme learning machines. *Journal of the Franklin Institute*, 355(4), 1752-1779.
- [85] Dey, S., Ye, Q., and Sampalli, S. (2019). A machine learning based intrusion detection scheme for data fusion in mobile clouds involving heterogeneous client networks. *Information Fusion*, 49, 205-215.
- [86] Papamartzivanos, D., Mrmol, F. G., and Kambourakis, G. (2019). Introducing deep learning self-adaptive misuse network intrusion detection systems. *IEEE Access*, 7, 13546-13560.
- [87] Haider, W., Creech, G., Xie, Y., and Hu, J. (2016). Windows based data sets for evaluation of robustness of host based intrusion detection systems (IDS) to zero-day and stealth attacks. *Future Internet*, 8(3), 29.
- [88] Deshpande, P., Sharma, S. C., Peddoju, S. K., and Junaaid, S. (2018). HIDS: A host based intrusion detection system for cloud computing environment. *International Journal of System Assurance Engineering and Management*, 9(3), 567-576.



- [89] Nobakht, M., Sivaraman, V., and Boreli, R. (2016, August). A host-based intrusion detection and mitigation framework for smart home IoT using OpenFlow. In 2016 11th International conference on availability, reliability and security (ARES) (pp. 147-156). IEEE.
- [90] Resende, P. A. A., and Drummond, A. C. (2018). A survey of random forest based methods for intrusion detection systems. *ACM Computing Surveys (CSUR)*, 51(3), 48.
- [91] Kim, G., Yi, H., Lee, J., Paek, Y., and Yoon, S. (2016). LSTM-based system-call language modeling and robust ensemble method for designing host-based intrusion detection systems. arXiv preprint arXiv:1611.01726.
- [92] Chawla, A., Lee, B., Fallon, S., and Jacob, P. (2018, September). Host based intrusion detection system with combined CNN/RNN model. In *Joint European Conference on Machine Learning and Knowledge Discovery in Databases* (pp. 149-158). Springer, Cham.
- [93] Agah, A., Das, S. K., Basu, K., and Asadi, M. (2004, August). Intrusion detection in sensor networks: A non-cooperative game approach. In *Third IEEE International Symposium on Network Computing and Applications*, (pp. 343-346). IEEE.
- [94] Xu, X., Sun, Y., and Huang, Z. (2007, April). Defending DDoS attacks using hidden Markov models and cooperative reinforcement learning. In *Pacific-Asia Workshop on Intelligence and Security Informatics* (pp. 196-207). Springer, Berlin, Heidelberg.
- [95] Servin, A., and Kudenko, D. (2008). Multi-agent reinforcement learning for intrusion detection. In *Adaptive Agents and Multi-Agent Systems III. Adaptation and Multi-Agent Learning* (pp. 211-223). Springer, Berlin, Heidelberg.
- [96] Janagam, A., and Hossen, S. (2018). Analysis of Network Intrusion Detection System with Machine Learning Algorithms (Deep Reinforcement Learning Algorithm) (Dissertation, Blekinge Institute of Technology, Sweden).
- [97] Xu, X., and Xie, T. (2005, August). A reinforcement learning approach for host-based intrusion detection using sequences of system calls. In *International Conference on Intelligent Computing* (pp. 995-1003). Springer, Berlin, Heidelberg.
- [98] Sutton, R. S. (1988). Learning to predict by the methods of temporal differences. *Machine Learning*, 3(1), 9-44.
- [99] Xu, X. (2006, September). A sparse kernel-based least-squares temporal difference algorithm for reinforcement learning. In *International Conference on Natural Computation* (pp. 47-56). Springer, Berlin, Heidelberg.
- [100] Xu, X., and Luo, Y. (2007, June). A kernel-based reinforcement learning approach to dynamic behavior modeling of intrusion detection. In *International Symposium on Neural Networks* (pp. 455-464). Springer, Berlin, Heidelberg.
- [101] Xu, X. (2010). Sequential anomaly detection based on temporal-difference learning: Principles, models and case studies. *Applied Soft Computing*, 10(3), 859-867.
- [102] Deokar, B., and Hazamis, A. (2012). Intrusion detection system using log files and reinforcement learning. *International Journal of Computer Applications*, 45(19), 28-35.
- [103] Malialis, K. (2014). Distributed Reinforcement Learning for Network Intrusion Response (Doctoral Dissertation, University of York, UK).
- [104] Malialis, K., and Kudenko, D. (2015). Distributed response to network intrusions using multiagent reinforcement learning. *Engineering Applications of Artificial Intelligence*, 41, 270-284.
- [105] Sutton, R. S., Barto, A. G. (1998). *Introduction to Reinforcement Learning*. MIT Press Cambridge, MA, USA.
- [106] Yau, D. K., Lui, J. C., Liang, F., and Yam, Y. (2005). Defending against distributed denial-of-service attacks with max-min fair server-centric router throttles. *IEEE/ACM Transactions on Networking*, 13(1), 29-42.
- [107] Bhosale, R., Mahajan, S., and Kulkarni, P. (2014). Cooperative machine learning for intrusion detection system. *International Journal of Scientific and Engineering Research*, 5(1), 1780-1785.
- [108] Herrero, A., and Corchado, E. (2009). Multiagent systems for network intrusion detection: A review. In *Computational Intelligence in Security for Information Systems* (pp. 143-154). Springer, Berlin, Heidelberg.
- [109] Detwarasiti, A., and Shachter, R. D. (2005). Influence diagrams for team decision analysis. *Decision Analysis*, 2(4), 207-228.
- [110] Shamshirband, S., Patel, A., Anuar, N. B., Kiah, M. L. M., and Abraham, A. (2014). Cooperative game theoretic approach using fuzzy Q-learning for detecting and preventing intrusions in wireless sensor networks. *Engineering Applications of Artificial Intelligence*, 32, 228-241.
- [111] Muoz, P., Barco, R., and de la Bandera, I. (2013). Optimization of load balancing using fuzzy Q-learning for next generation wireless networks. *Expert Systems with Applications*, 40(4), 984-994.
- [112] Shamshirband, S., Anuar, N. B., Kiah, M. L. M., and Patel, A. (2013). An appraisal and design of a multi-agent system based cooperative wireless intrusion detection computational intelligence technique. *Engineering Applications of Artificial Intelligence*, 26(9), 2105-2127.
- [113] Varshney, S., and Kuma, R. (2018, January). Variants of LEACH routing protocol in WSN: A comparative analysis. In *2018 8th International Conference on Cloud Computing, Data Science and Engineering (Confluence)* (pp. 199-204). IEEE.
- [114] Roy, S., Ellis, C., Shiva, S., Dasgupta, D., Shandilya, V., and Wu, Q. (2010, January). A survey of game theory as applied to network security. In *2010 43rd Hawaii International Conference on System Sciences* (pp. 1-10). IEEE.
- [115] Shiva, S., Roy, S., and Dasgupta, D. (2010, April). Game theory for cyber security. In *Proceedings of the Sixth Annual Workshop on Cyber Security and Information Intelligence Research* (p. 34). ACM.
- [116] Ramachandran, K., and Stefanova, Z. (2016). Dynamic game theories in cyber security. In *Proceedings of International Conference of Dynamic Systems and Applications*, 7, 303-310.
- [117] Wang, Y., Wang, Y., Liu, J., Huang, Z., and Xie, P. (2016, June). A survey of game theoretic methods for cyber security. In *2016 IEEE First International Conference on Data Science in Cyberspace (DSC)* (pp. 631-636). IEEE.
- [118] Zhu, Q., and Rass, S. (2018, October). Game theory meets network security: A tutorial. In *Proceedings of the 2018 ACM SIGSAC Conference on Computer and Communications Security* (pp. 2163-2165). ACM.
- [119] Mpitziopoulos, A., Gavalas, D., Konstantopoulos, C., and Pantziou, G. (2009). A survey on jamming attacks and countermeasures in WSNs. *IEEE Communications Surveys and Tutorials*, 11(4), 42-56.
- [120] Hu, S., Yue, D., Xie, X., Chen, X., and Yin, X. (2018). Resilient event-triggered controller synthesis of networked control systems under periodic DoS jamming attacks. *IEEE Transactions on Cybernetics*, DOI: 10.1109/TCYB.2018.2861834.
- [121] Boche, H., and Deppe, C. (2019). Secure identification under passive eavesdroppers and active jamming attacks. *IEEE Transactions on Information Forensics and Security*, 14(2), 472-485.
- [122] Wu, Y., Wang, B., Liu, K. R., and Clancy, T. C. (2012). Anti-jamming games in multi-channel cognitive radio networks. *IEEE Journal on Selected Areas in Communications*, 30(1), 4-15.
- [123] Singh, S., and Trivedi, A. (2012, September). Anti-jamming in cognitive radio networks using reinforcement learning algorithms. In *Wireless and Optical Communications Networks (WOCN), 2012 Ninth International Conference on* (pp. 1-5). IEEE.
- [124] Gwon, Y., Dastango, S., Fossa, C., and Kung, H. T. (2013, October). Competing mobile network game: Embracing antijamming and jamming strategies with reinforcement learning. In *2013 IEEE Conference on Communications and Network Security (CNS)* (pp. 28-36). IEEE.
- [125] Conley, W. G., and Miller, A. J. (2013, November). Cognitive jamming game for dynamically countering ad hoc cognitive radio networks. In *MILCOM 2013-2013 IEEE Military Communications Conference* (pp. 1176-1182). IEEE.
- [126] Dabcevic, K., Betancourt, A., Marcenaro, L., and Regazzoni, C. S. (2014, May). A fictitious play-based game-theoretical approach to alleviating jamming attacks for cognitive radios. In *2014 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)* (pp. 8158-8162). IEEE.
- [127] Slimeni, F., Scheers, B., Chtourou, Z., and Le Nir, V. (2015, May). Jamming mitigation in cognitive radio networks using a modified Q-learning algorithm. In *2015 International Conference on Military Communications and Information Systems (ICMCIS)* (pp. 1-7). IEEE.
- [128] Xiao, L., Lu, X., Xu, D., Tang, Y., Wang, L., and Zhuang, W. (2018). UAV relay in VANETs against smart jamming with reinforcement learning. *IEEE Transactions on Vehicular Technology*, 67(5), 4087-4097.
- [129] Xiao, L., Wan, X., Dai, C., Du, X., Chen, X., and Guizani, M. (2018). Security in mobile edge caching with reinforcement learning. *IEEE Wireless Communications*, 25(3), 116-122.
- [130] Aref, M. A., Jayaweera, S. K., and Machuzak, S. (2017, March). Multi-agent reinforcement learning based cognitive anti-jamming. In *Wireless Communications and Networking Conference (WCNC), 2017 IEEE* (pp. 1-6). IEEE.
- [131] Machuzak, S., and Jayaweera, S. K. (2016, July). Reinforcement learning based anti-jamming with wideband autonomous cognitive radios. In *2016 IEEE/CIC International Conference on Communications in China (ICCC)* (pp. 1-5). IEEE.
- [132] Felice M.D., Bedogni L., Bononi L. (2019) Reinforcement learning-based spectrum management for cognitive radio networks: A literature review and case study. In: Zhang W. (eds) *Handbook of Cognitive Radio* (pp. 1849-1886). Springer, Singapore.

- [133] Attar, A., Tang, H., Vasilakos, A. V., Yu, F. R., and Leung, V. C. (2012). A survey of security challenges in cognitive radio networks: Solutions and future research directions. *Proceedings of the IEEE*, 100(12), 3172-3186.
- [134] Wang, B., Wu, Y., Liu, K. R., and Clancy, T. C. (2011). An anti-jamming stochastic game for cognitive radio networks. *IEEE Journal on Selected Areas in Communications*, 29(4), 877-889.
- [135] Littman, M. L. (1994). Markov games as a framework for multi-agent reinforcement learning. In *Proceedings of the 11th International Conference on Machine Learning* (pp. 157-163).
- [136] Xiao, L., Li, Y., Liu, J., and Zhao, Y. (2015). Power control with reinforcement learning in cooperative cognitive radio networks against jamming. *The Journal of Supercomputing*, 71(9), 3237-3257.
- [137] Yang, D., Xue, G., Zhang, J., Richa, A., and Fang, X. (2013). Coping with a smart jammer in wireless networks: A Stackelberg game approach. *IEEE Transactions on Wireless Communications*, 12(8), 4038-4047.
- [138] Bowling, M., and Veloso, M. (2002). Multiagent learning using a variable learning rate. *Artificial Intelligence*, 136(2), 215-250.
- [139] Han, G., Xiao, L., and Poor, H. V. (2017, March). Two-dimensional anti-jamming communication based on deep reinforcement learning. In *Proceedings of the 42nd IEEE International Conference on Acoustics, Speech and Signal Processing*, (pp. 2087-2091). IEEE.
- [140] Liu, X., Xu, Y., Jia, L., Wu, Q., and Anpalagan, A. (2018). Anti-jamming communications using spectrum waterfall: A deep reinforcement learning approach. *IEEE Communications Letters*, 22(5), 998-1001.
- [141] Chen, W., and Wen, X. (2016, January). Perceptual spectrum waterfall of pattern shape recognition algorithm. In *2016 18th International Conference on Advanced Communication Technology (ICACT)* (pp. 382-389). IEEE.
- [142] Zeng, K., Govindan, K., and Mohapatra, P. (2010). Non-cryptographic authentication and identification in wireless networks. *IEEE Wireless Communications*, 17(5), 56-62.
- [143] Xiao, L., Li, Y., Liu, G., Li, Q., and Zhuang, W. (2015, December). Spoofing detection with reinforcement learning in wireless networks. In *Global Communications Conference (GLOBECOM), 2015 IEEE* (pp. 1-5). IEEE.
- [144] Xiao, L., Li, Y., Han, G., Liu, G., and Zhuang, W. (2016). PHY-layer spoofing detection with reinforcement learning in wireless networks. *IEEE Transactions on Vehicular Technology*, 65(12), 10037-10047.
- [145] Sutton, R. S. (1990, June). Integrated architecture for learning, planning, and reacting based on approximating dynamic programming. In *Proceedings of the Seventh International Conference on Machine Learning* (pp. 216-224). Morgan Kaufmann Publishers Inc..
- [146] Sun, X., Dai, J., Liu, P., Singhal, A., and Yen, J. (2018). Using Bayesian networks for probabilistic identification of zero-day attack paths. *IEEE Transactions on Information Forensics and Security*, 13(10), 2506-2521.
- [147] Afek, Y., Bremner-Barr, A., and Feibish, S. L. (2019). Zero-day signature extraction for high-volume attacks. *IEEE/ACM Transactions on Networking*. DOI: 10.1109/TNET.2019.2899124.
- [148] Wan, X., Sheng, G., Li, Y., Xiao, L., and Du, X. (2017, December). Reinforcement learning based mobile offloading for cloud-based malware detection. In *GLOBECOM 2017-2017 IEEE Global Communications Conference* (pp. 1-6). IEEE.
- [149] Li, Y., Liu, J., Li, Q., and Xiao, L. (2015, April). Mobile cloud offloading for malware detections with learning. In *2015 IEEE Conference on Computer Communications Workshops (INFOCOM WKSHPs)* (pp. 197-201). IEEE.
- [150] Salahuddin, M. A., Al-Fuqaha, A., and Guizani, M. (2015). Software-defined networking for RSU clouds in support of the internet of vehicles. *IEEE Internet of Things Journal*, 2(2), 133-144.
- [151] Huang, R., Chu, X., Zhang, J., and Hu, Y. H. (2015). Energy-efficient monitoring in software defined wireless sensor networks using reinforcement learning: A prototype. *International Journal of Distributed Sensor Networks*, 11(10), 360428.
- [152] Kim, S., Son, J., Talukder, A., and Hong, C. S. (2016, January). Congestion prevention mechanism based on Q-learning for efficient routing in SDN. In *2016 International Conference on Information Networking (ICOIN)* (pp. 124-128). IEEE.
- [153] Lin, S. C., Akyildiz, I. F., Wang, P., and Luo, M. (2016, June). QoS-aware adaptive routing in multi-layer hierarchical software defined networks: A reinforcement learning approach. In *2016 IEEE International Conference on Services Computing (SCC)* (pp. 25-33). IEEE.
- [154] Mestres, A., Rodriguez-Natal, A., Carner, J., Barlet-Ros, P., Alarcn, E., Sol, M., ... and Estrada, G. (2017). Knowledge-defined networking. *ACM SIGCOMM Computer Communication Review*, 47(3), 2-10.
- [155] Han, Y., Rubinstein, B. I., Abraham, T., Alpcan, T., De Vel, O., Erfani, S., ... and Montague, P. (2018, October). Reinforcement learning for autonomous defence in software-defined networking. In *International Conference on Decision and Game Theory for Security* (pp. 145-165). Springer, Cham.
- [156] Lantz, B., and O'Connor, B. (2015, August). A mininet-based virtual testbed for distributed SDN development. In *ACM SIGCOMM Computer Communication Review* (Vol. 45, No. 4, pp. 365-366). ACM.
- [157] Zhu, M., Hu, Z., and Liu, P. (2014, November). Reinforcement learning algorithms for adaptive cyber defense against Heartbleed. In *Proceedings of the First ACM Workshop on Moving Target Defense* (pp. 51-58). ACM.
- [158] Wang, J., Zhao, M., Zeng, Q., Wu, D., and Liu, P. (2015, June). Risk assessment of buffer Heartbleed over-read vulnerabilities. In *2015 45th Annual IEEE/IFIP International Conference on Dependable Systems and Networks* (pp. 555-562). IEEE.
- [159] Luo, B., Yang, Y., Zhang, C., Wang, Y., and Zhang, B. (2018, June). A survey of code reuse attack and defense. In *International Conference on Intelligent and Interactive Systems and Applications* (pp. 782-788). Springer, Cham.
- [160] Elderman, R., Pater, L. J., Thie, A. S., Drugan, M. M., and Wiering, M. (2017, January). Adversarial reinforcement learning in a cyber security simulation. In *International Conference on Agents and Artificial Intelligence (ICAART)*, (2) (pp. 559-566).
- [161] Chung, K., Kamhoua, C. A., Kwiat, K. A., Kalbarczyk, Z. T., and Iyer, R. K. (2016, January). Game theory with learning for cyber security monitoring. In *2016 IEEE 17th International Symposium on High Assurance Systems Engineering (HASE)* (pp. 1-8). IEEE.
- [162] Oh, J., Guo, X., Lee, H., Lewis, R. L., and Singh, S. (2015). Action-conditional video prediction using deep networks in atari games. In *Advances in Neural Information Processing Systems* (pp. 2863-2871).
- [163] Mathieu, M., Couprie, C., and LeCun, Y. (2015). Deep multi-scale video prediction beyond mean square error. *arXiv preprint arXiv:1511.05440*.
- [164] Nagabandi, A., Kahn, G., Fearing, R. S., and Levine, S. (2018, May). Neural network dynamics for model-based deep reinforcement learning with model-free fine-tuning. In *2018 IEEE International Conference on Robotics and Automation (ICRA)* (pp. 7559-7566). IEEE.
- [165] Browne, C. B., Powley, E., Whitehouse, D., Lucas, S. M., Cowling, P. I., Rohlfshagen, P., ... and Colton, S. (2012). A survey of Monte Carlo tree search methods. *IEEE Transactions on Computational Intelligence and AI in Games*, 4(1), 1-43.
- [166] Tamar, A., Wu, Y., Thomas, G., Levine, S., and Abbeel, P. (2016). Value iteration networks. In *Advances in Neural Information Processing Systems* (pp. 2154-2162).
- [167] Pascanu, R., Li, Y., Vinyals, O., Heess, N., Buesing, L., Racanire, S., ... and Battaglia, P. (2017). Learning model-based planning from scratch. *arXiv preprint arXiv:1707.06170*.
- [168] Duddu, V. (2018). A survey of adversarial machine learning in cyber warfare. *Defence Science Journal*, 68(4), 356-366.
- [169] Nguyen, T., Nguyen, N. D., and Nahavandi, S. (2018). Multi-agent deep reinforcement learning with human strategies. *arXiv preprint arXiv:1806.04562*.
- [170] Nguyen, T. T., Nguyen, N. D., and Nahavandi, S. (2018). Deep reinforcement learning for multi-agent systems: A review of challenges, solutions and applications. *arXiv preprint arXiv:1812.11794*.